



100



points to the release predecessor

means that B is an extension of A

FIG. 2



·			G total	Condition
E	\mathbf{V}_{2}	V_1	Context chain	Condition
SEM, 3.5) -	+			
	(SEM, 3.5)	+		
	100	(SEM, 3.5)	→	
			(SEM, 3.5)	
		R ₁		$(SEM,3.5) \in Def(R_1)$
		(SEM, 3.2) —	+	1
	-		(SEM, 3.2)	
				$(SEM,3.2) \notin Def(R_1)$
	R ₂			$(SEM,3.5) \in Def(R_2)$
	(BW, 30B)	 		
		(BW, 30B)	₹	
			(BW, 30B)	
	<u> </u>	R_1	<u> </u>	$(BW, 30B) \in Def(R_1)$
		(BW, 30A) —		
			(BW, 30A)	
	<u> </u>	-		(BW, 30A) ∉ Def(R ₁)
•		<u> </u>		(BW, 30B) ∉ Def(R ₂)

FIG. 4




FIG. 5




FIG. 6




FIG. 7

Matter No.: 13913-194001

Applicant(s): Martin Erdtmann, et al. CONTEXT RESOLUTION




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13





FIG. 14



First level:



Second level:

Third level:




FIG. 15




FIG. 16




FIG. 17




FIG. 18

B C D D

2 B

FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24





FIG. 25

Level 1:

ABC 1.5

Level 2:



Level 3:




FIG. 26

Applicant(s): Martin Erdtmann, et al. CONTEXT RESOLUTION




FIG. 27




FIG. 28






FIG. 29

(XYZ 1.0) Level 1:

Level 2:





Level 3:

FIG. 30




FIG. 31




FIG. 32




FIG. 33